

ENSTO

AVG01M

Pylväsvalaisin

Koodi	AVG01M
GTIN	6418584151645
Sähkönumero	4503206
Nimi	Pylväsvalaisin Ensto
Kuvaus	Averia -ulkovalaisinsarjasta löytyy valaisimet koko pihapiiriin. Sarja muodostuu yhtenäisestä kokonaisuudesta seinä- ja pylväsvalaisimia. Perusmateriaaleina on sekä aito kupari, että kestävä alumiini. Väreinä musta, valkoinen, grafiitinharmaa ja aito kupari. Valikoimassa myös soveltuvat pylväät ja asennustarvikkeet.
Toimittaja	Ensto Finland Oy



Tekniset tiedot

Technical information

Häikäisy suoja/ optiikka/kupu:	Glass diffuser and anti-glare lamellas
Ketjutettavuus:	Ending
Lampun kanta:	E27
Ohjattavuus:	-
Sähköinen liitäntä: liitintyyppi:	Screw terminal
Sähköinen liitäntä: napaluku x johtimen poikkipinta:	3x2,5
Valonlähde (ILCOS):	IA
Valonlähteiden lkm ja teho:	1x75

Muut

Energiamerkki:	KUTENERGIA6
Valmistuttajan osoite:	Ensto Finland Oy, P.O. Box 77, FI-06101 Porvoo, Finland

Luokitukset

Kotelointiluokka:	IP44
-------------------	------

Suojausluokka: I

Mitat

Nettopaino: 0,8 kg

Ominaisuudet

Valonlähde: A60

ETIM 7 tiedot

Etim

Adjustable optics:	False
Colour housing:	Black
Constant luminous flux control:	False
Control gear included:	True
Degree of protection (IP):	IP44
Dimming 0-10 V:	False
Dimming 1-10 V:	False
Dimming DALI:	False
Dimming DMX:	False
Dimming DSI:	False
Dimming GPRS:	False
Dimming LineSwitch:	False
Dimming mains voltage modulation:	False
Dimming manufacturer's proprietary system:	False
Dimming phase cut-off:	False
Dimming phase cut-on:	False
Dimming potentiometer (integrated):	False
Dimming programmable:	False
Dimming RF:	False
Dimming Sine Wave Reduction:	False
Dimming Touch and Dim:	False
Dimming with push-button:	False
Dimming Zigbee:	False
Lamp holder:	E27
Material cover:	Other
Material housing:	Aluminium
No dim function:	True
Nominal voltage:	≥ 230 V
Protection class:	I
Remote control:	None
Suitable for number of lamps:	1
Suitable for top end size:	≥ 50
Type of control gear:	Not required
With connection cable:	False
With light regulation program control:	False

With light source:	False
With wireless control:	False
Voltage type:	AC

Pakkaustiedot

Lavapakkaus

Yksikkö:	PCE
Pakkauskoko:	36